

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	((("6,539,380") or ("6,115,819")).PN.	US-PGPUB; USPAT	OR	OFF	2007/07/24 23:00
S2	1882	(713/193).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/08/31 21:08
S3	225	S2 and (protected near4 (address memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 23:01
S4	2	("5787367" "5844986").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/24 23:03
S5	6	("6757832").URFN.	USPAT	OR	ON	2007/07/24 23:03
S6	1	("20040255145").PN.	US-PGPUB; USPAT	OR	OFF	2007/08/31 20:10
S7	1943	(713/193).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/01 12:38
S8	96	S7 and (key adj store)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 21:13
S9	0	S7 and single adj use near4 key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 21:13
S10	190	S7 and (remov\$3 delet\$3 destroy\$3) near3 key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 23:33
S11	23	S7 and (remov\$3 delet\$3 destroy\$3) near3 key and key adj store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/01 02:16
S12	18	("4135240" "4506329" "4590552" "4884211" "4954982" "5146565" "5187790" "5280527" "5500517" "5566327" "5581700" "5719950" "5724578" "5805719" "5936221" "6040622" "6147860" "6240493").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/31 22:29

S13	1	("6539380").URFN.	USPAT	OR	ON	2007/08/31 22:31
S14	6	("6115819").URFN.	USPAT	OR	ON	2007/08/31 22:32
S15	1	("7194092").URFN.	USPAT	OR	ON	2007/08/31 22:32
S16	109	("20020007452" "20020069365" "20020107803" "20020120936" "20020152173" "4827508" "4969189" "4977594" "5007082" "5023907" "5050213" "5140634" "5276311" "5335334" "5349643" "5410598" "5473690" "5473692" "5491827" "5544246" "5557518" "5557765" "5623637" "5654746" "5664016" "5671280" "5721781" "5745886" "5757919" "5796824" "5802592" "5812662" "5812980" "5841869" "5860099" "5872847" "5892900" "5892902" "5892904" "5910987" "5915019" "5917912" "5919257" "5920861" "5933498" "5940504" "5943422" "5944821" "5949876" "5953502" "5958050" "5963980" "5974546" "5982891" "5991399" "5991876" "6006332" "6009274" "6009401" "6026166" "6032257" "6038551" "6073124" "6092189" "6105137" "6112181" "6118873" "6138119" "6148083" "6148387" "6148402" "6157721" "6175917" "6185678" "6185683" "6189100" "6192473" "6212636" "6223284" "6229894" "6230285" "6237786" "6240185" "6253193" "6263431" "6272629" "6292569" "6327652" "6327660" "6330588" "6338139" "6341373" "6363486" "6363488" "6367012" "6381741" "6389402"	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/31 22:37

		"6389537" "6427140" "6449367" "6477252" "6477648" "6480961" "6560706" "6609199" "6640304" "6735696" "6820063" "7079649"). PN.				
S17	336	(713/190).OCLS.	US-PGPUB; USPAT	OR	OFF	2007/08/31 23:58
S18	23	S17 and (remov\$3 delet \$3 destroy\$3) near3 key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 23:33
S19	1	("20020174352").PN.	US-PGPUB; USPAT	OR	OFF	2007/09/01 00:07
S20	1	("5751949").PN.	US-PGPUB; USPAT	OR	OFF	2007/09/01 00:08
S21	43	key adj store same (file near2 name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/01 00:08
S22	4	("20020071556" "5931947" "6249866" "6678700").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/01 02:14
S23	14	protected near3 memory near3 (address\$2 location) and key adj store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/01 02:22
S24	2	protected near3 memory same key adj store same memory adj access	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/01 02:23
S25	2	protected near3 memory same key adj store and memory adj access	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/01 02:23
S26	4375	((secure\$1 protected) near3 memory).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/01 02:24
S27	441	((secure\$1 protected) near3 memory and key). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/01 02:25

S28	386	((protect\$3) near3 memory and key).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/01 02:26
S29	70	((protect\$3) near3 memory and key).ab.	US-PGPUB; USPAT	OR	ON	2007/09/01 02:26
S30	34	("4038645").URPN.	USPAT	OR	ON	2007/09/01 02:27
S31	1	("6578122").PN.	US-PGPUB; USPAT	OR	OFF	2007/09/01 12:38
S32	1	("6539380").PN.	US-PGPUB; USPAT	OR	OFF	2007/09/01 12:38
S33	105	(713/192).CCLS.	USPAT	OR	OFF	2007/09/01 12:39
S34	1074	(711/163).CCLS.	USPAT	OR	OFF	2007/09/01 12:40
S35	1	S34 and (infiniband).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/01 12:40
S36	159	infiniband.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/01 12:50
S37	1	("20020124148").PN.	US-PGPUB; USPAT	OR	OFF	2007/09/01 22:05
S38	1	("5751949").PN.	US-PGPUB; USPAT	OR	OFF	2007/09/01 22:06
S39	5	("5574849" "5684993" "5915088" "6163834" "6349380").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/01 22:12
S40	5	("5574849" "5684993" "5915088" "6163834" "6349380").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/01 22:12
S41	5	("5574849" "5684993" "5915088" "6163834" "6349380").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/01 22:12
S42	6	("6578122").URPN.	USPAT	OR	ON	2007/09/01 22:13
S43	10	("20020078271" "20020124117" "20020124148" "20020178339" "20020184392" "20030046505" "6578122" "6601148" "6658521" "6691217"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/01 22:14

S44	19	(protected adj memory and unprotected adj memory).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/15 15:40
S45	18	("4135240" "4506329" "4590552" "4884211" "4954982" "5146565" "5187790" "5280527" "5500517" "5566327" "5581700" "5719950" "5724578" "5805719" "5936221" "6040622" "6147860" "6240493"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/15 15:45
S46	124	(read same write same command) same protected adj memory	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/15 15:49
S47	159	(read same write same command) same (secure protected) adj memory	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/15 15:50
S48	2	(read same write same command) same (secure protected) adj memory same (unsecure unprotected) adj memory	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/15 15:59
S49	9	(read same write) same (secure protected) adj memory same (unsecure unprotected) adj memory	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/15 16:00
S50	24	("4388695").URPN.	USPAT	OR	ON	2008/05/15 17:15
S51	415	(read same write) same (secure protected) same (unsecure unprotected)	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/15 17:19
S52	197	(read same write) same (secure protected) same (unsecure unprotected)	USPAT	OR	ON	2008/05/15 17:20
S53	31	("5628023").URPN.	USPAT	OR	ON	2008/05/15 17:42
S54	671	(overwrite over adj write write adj over) with (remov\$3 terminat\$3 delet \$3 inaccessible)	USPAT	OR	ON	2008/05/15 18:10
S55	27	(software program application) with update same memory with protection	USPAT	OR	ON	2008/05/15 22:13
S56	8	(software program application) with update same memory with protection and wireless	USPAT	OR	ON	2008/05/15 22:13

S57	16	(software program application) with update same memory with protect \$3 and wireless not S56	USPAT	OR	ON	2008/05/15 22:19
S58	1	("6976163").PN.	US-PGPUB; USPAT	OR	OFF	2008/05/15 22:32
S59	2287	(713/193).OCLS.	US-PGPUB; USPAT	OR	OFF	2008/05/17 03:22
S60	36	S59 and (protected near4 (address memory)) and (@pd > "20070902")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/17 03:22
S61	117	S59 and (protected near4 (address memory)) same key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/17 03:23
S62	27	"6,968,461" "20020032871" "20020095492" "20020116627" "20030233328" "20040059811" "20040205135" "2004177120" "20050021738" "20060036727"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/18 23:09
S63	1	("5991778").PN.	US-PGPUB; USPAT	OR	OFF	2008/10/15 20:24
S64	296	delet\$3 with key same (over near2 write overwrit \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 20:26
S65	142	delet\$3 with key with (over near2 write overwrit \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 20:26
S66	2459	(713/193).OCLS.	US-PGPUB; USPAT	OR	OFF	2008/10/15 20:38
S67	393	S66 and ((secure protected) near2 (address memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 20:38
S68	24	S66 and ((secure protected) near2 (address memory)) and key with (over near2 write overwrit \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 20:39

S69	2	(memory and protect\$3). ti. and chow-jerry.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 15:16
S70	2467	(713/193).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/10/22 15:17
S71	2	S70 and ((secure protected) near2 (address memory)) and token with (over near2 write overwrit \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 15:17
S72	4	S70 and token with (over near2 write overwrit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 15:18
S73	13	("4817140" "5457748" "5513260" "5563947" "5596639" "5610981" "5677952" "5754648" "5754649" "5815577" "5870468" "6314409" "6351813").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/22 15:33
S74	1	("5457748").PN.	US-PGPUB; USPAT	OR	OFF	2008/10/22 15:36
S75	17	("4605820" "4723283" "4849927" "4888802" "4924513" "4926475" "4934846" "4965828" "5008936" "5081675" "5131040" "5150412" "5222136" "5241597" "5249227" "5363447" "5412721").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/22 15:36
S76	2	S75 and (overwrite over adj write)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 15:37
S77	2	("4965828" "5131040"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/22 15:38
S78	8	S70 and ((secure protected) near2 (address memory)) and (request command) with (over near2 write overwrit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 15:40
S79	2478	(713/193).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/11/02 17:58

S80	28	S79 and (request command) with (over near2 write overwrite\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 17:58
S81	114	(delete\$3 destroy\$3) near3 (request command) with (over near2 write overwrite\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 18:04
S82	2	(delete\$3 destroy\$3) near3 (token) with (over near2 write overwrite\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 18:21
S83	144	(token) with (over near2 write overwrite\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 18:23
S84	30	(request command) with (over near2 write overwrite\$3) near3 key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 18:33
S85	185	(portion part) near3 (overwrite\$4 over adj writ \$4) with (delete\$3 destroy \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:13
S86	188	(portion part\$2) near3 (overwrite\$4 over adj writ \$4) with (delete\$3 destroy \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:13
S87	0	(delete\$3 destroy\$3) near3 (request command) with (scrub\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:24
S88	310	(request command) with (scrub\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:24
S89	10382	(request command) with (erase\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:26

S90	5020	(request command) near2 (erase\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:26
S91	324	(request command) near2 (erase\$2) with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:26
S92	135	(request command) near2 (erase\$2) with secur\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:27
S93	147	(ram volatile) near4 (erase \$2 overwrit\$3) with secur \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:38
S94	246	(ram volatile) near4 (erase \$2 overwrit\$3) with prevent\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:38
S95	4	overwrit\$3 with key with leakage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:45
S96	4	overwrit\$4 with key with leakage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:45
S97	96	overwrit\$4 with prevent \$3 with leakage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:46
S98	10	eras\$3 with key with prevent\$3 with leakage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:47
S99	17	eras\$3 with key with prevent\$3 with leak\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:47

S100	770	(delet\$3 overwrit\$3 eras\$3) with prevent\$3 near3 leak\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:48
S101	71	(delet\$3 overwrit\$3 eras\$3) with prevent\$3 near3 leak\$3 same (secur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:48
S102	0	(delet\$3 overwrit\$3 eras\$3) with prevent\$3 near3 leak\$3 same (replay\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:50
S103	2	(delet\$3 overwrit\$3 eras\$3) with leak\$3 same (replay\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:50
S104	73	(delet\$3 overwrit\$3 eras\$3) with prevent\$3 same (replay\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:51
S105	75775	(delet\$3 overwrit\$3 eras\$3) with overwrit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:54
S106	6500	(eras\$3) with overwrit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:54
S107	123	(eras\$3) with overwrit\$3 with secur\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:54
S108	48	(delet\$3 overwrit\$3 eras\$3 expung\$3) with prevent\$3 with (replay\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 21:00
S109	2	(delet\$3 overwrit\$3 eras\$3 expung\$3) with prevent\$3 with (snif\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 21:01

S110	631	(delet\$3 overwrit\$3 eras \$3 expung\$3) with prevent\$3 with (unauthoriz\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 21:01
S111	488	(delet\$3 overwrit\$3 eras \$3 expung\$3) with prevent\$3 near3 (unauthoriz\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 21:01
S112	172	(delet\$3 overwrit\$3 eras \$3 expung\$3) with prevent\$3 near3 (unauthoriz\$4)	USPAT	OR	ON	2008/11/02 21:02
S113	18	(delet\$3 overwrit\$3 eras \$3 expung\$3) near3 key with prevent\$3 near3 (unauthoriz\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 21:12
S114	23	(delet\$3 overwrit\$3 eras \$3 expung\$3) near3 key with prevent\$3 with (unauthoriz\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 21:12
S115	6	(delet\$3 overwrit\$3 eras \$3 expung\$3) near3 (token ticket command key) with prevent\$3 with (replay\$3 reuse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 21:22
S116	6	(delet\$3 overwrit\$3 eras \$3 expung\$3) near4 (token ticket command key) with prevent\$3 with (replay\$3 reuse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 21:22
S117	32	(delet\$3 overwrit\$3 eras \$3 expung\$3) near4 (token ticket command key) with prevent\$3 with (unauthoriz\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 21:24
S118	1	(delet\$3 overwrit\$3 eras \$3 expung\$3) near7 (token) with prevent\$3 with (unauthoriz\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 21:28
S119	3	(delet\$3 overwrit\$3 eras \$3 expung\$3) near4 (index identifier) with prevent\$3 with (replay\$3 reuse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 21:30
S120	2	(delet\$3 overwrit\$3 eras \$3 expung\$3) near4 (id) with prevent\$3 with (replay\$3 reuse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 21:49

S121	52	(delet\$3 overwrit\$3 eras \$3 expung\$3) near4 (number value) with prevent\$3 with (unauthoriz\$4 replay\$3 reuse access\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 21:51
S122	60	(delet\$3 overwrit\$3 eras \$3 expung\$3) near4 (number value index) with prevent\$3 with (unauthoriz\$4 replay\$3 reuse access\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 21:51
S123	122	(delet\$3 overwrit\$3 eras \$3 expung\$3) near4 (index identifier) with prevent\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 21:55
S124	2051767	(delet\$3 overwrit\$3 eras \$3 expung\$3) near4 (key) with prevent\$3 (access reuse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 22:01
S125	37	(delet\$3 overwrit\$3 eras \$3 expung\$3) near4 (key) with prevent\$3 near3 (access reuse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 22:01
S126	5	(delet\$3 overwrit\$3 eras \$3 expung\$3) near4 (address) with prevent\$3 near3(unauthoriz\$3 reuse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 22:03
S127	22	(delet\$3 overwrit\$3 eras \$3 expung\$3) near4 (key) with prevent\$3 near3 (unauthoriz\$3 reuse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 22:06
S128	0	(delet\$3 overwrit\$3 eras \$3 expung\$3) near4 (passport) with prevent\$3 near3 (unauthoriz\$3 reuse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 22:09
S129	1	(delet\$3 overwrit\$3 eras \$3 expung\$3) near4 (pointer) with prevent\$3 near3 (unauthoriz\$3 reuse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 22:09
S130	12	(delet\$3 overwrit\$3 eras \$3 expung\$3 destroy remov\$3) near4 (identifier locator) with prevent\$3 near3 (unauthoriz\$3 reuse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 22:12

S131	132	(delet\$3 overwrit\$3 eras \$3 expung\$3 destroy remov\$3) near4 (identifier locator) with prevent\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 22:13
S132	164	(delet\$3 overwrit\$3 eras \$3 expung\$3 destroy remov\$3) near4 (token) with prevent\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 22:17
S133	477	(delet\$3 overwrit\$3 eras \$3 expung\$3 destroy remov\$3) near4 (command) with prevent \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 22:22
S134	4	(delet\$3 overwrit\$3 eras \$3 expung\$3 destroy remov\$3) near4 (command) with prevent \$3 near4 (unauthoriz\$4 replay\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 22:22
S135	571	(delet\$3 overwrit\$3 eras \$3 expung\$3 destroy remov\$3) near4 (location memory address) adj (identifier id key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 22:30
S136	522	(delet\$3 overwrit\$3 eras \$3 expung\$3 destroy remov\$3) near4 (location memory address) adj (identifier id key)	US-PGPUB; USPAT	OR	ON	2008/11/02 22:30
S137	451	(delet\$3 overwrit\$3 eras \$3 expung\$3 destroy) near4 (location memory address) adj (identifier id key)	US-PGPUB; USPAT	OR	ON	2008/11/02 22:31
S138	0	(delet\$3 overwrit\$3 eras \$3 expung\$3 destroy) near4 (location memory address) adj (identifier id key) near3 immediately	US-PGPUB; USPAT	OR	ON	2008/11/02 22:37
S139	572	(delet\$3 overwrit\$3 eras \$3 expung\$3 destroy) with replay	US-PGPUB; USPAT	OR	ON	2008/11/02 22:39
S140	7	(delet\$3 overwrit\$3 eras \$3 expung\$3 destroy) with prevent near4 replay	US-PGPUB; USPAT	OR	ON	2008/11/02 22:40
S141	89	(delet\$3 overwrit\$3 eras \$3 expung\$3 destroy) near3 (location adj (token identifier address))	US-PGPUB; USPAT	OR	ON	2008/11/02 22:47

S142	5	(delet\$3 overwrit\$3 eras \$3 expung\$3 destroy) near3 (location adj (key))	US-PGPUB; USPAT	OR	ON	2008/11/02 22:50
S143	28	(overwrit\$3) near3 (volatile ram) with prevent	US-PGPUB; USPAT	OR	ON	2008/11/02 22:52
S144	45	(overwrit\$3 delet\$3) with (token key identifier) with inaccessible	US-PGPUB; USPAT	OR	ON	2008/11/02 22:55
S145	4852	(delet\$3 overwrit\$3 eras \$3 expung\$3 destroy) near3 ((token identifier address key)) with (after used then)	US-PGPUB; USPAT	OR	ON	2008/11/02 23:01
S146	96	(delet\$3 overwrit\$3 eras \$3 expung\$3 destroy) near3 (instruction) with (prevent)	US-PGPUB; USPAT	OR	ON	2008/11/02 23:04
S147	63	(delet\$3 overwrit\$3 eras \$3 expung\$3 destroy) near4 (location memory address) adj (identifier id key) and ("713"/\$\$.ccls. "380"/\$\$.ccls.)	US-PGPUB; USPAT	OR	ON	2008/11/02 23:08
S148	1336	(726/22).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/11/03 10:05
S149	31	S148 and (overwrit\$3 eras \$3) with prevent\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 10:06
S150	37	S148 and (delet\$3) with prevent\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 10:12
S151	1815	(726/26).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/11/03 10:14
S152	88	S151 and (overwrit\$3 eras \$3 delet\$3) with prevent \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 10:15
S153	82	de-allocat\$3 same (over- writ\$3 overwrit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 11:03
S154	275	(deallocat\$3 de-allocat\$3) same (over-writ\$3 overwrit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 11:03

S155	266	(deallocat\$3 de-allocat\$3) same (over-writ\$3 overwrit\$3)	US-PGPUB; USPAT	OR	ON	2008/11/03 11:04
S156	42	(over-writ\$3 overwrit\$3) near4 prevent\$3 near3 unauthoriz\$3	US-PGPUB; USPAT	OR	ON	2008/11/03 11:36
S157	3792	(over-writ\$3 overwrit\$3) near4 prevent\$3	US-PGPUB; USPAT	OR	ON	2008/11/03 11:38
S158	25	(over-writ\$3 overwrit\$3) near4 prevent\$3 and (S148 S151)	US-PGPUB; USPAT	OR	ON	2008/11/03 11:38
S159	6023	((713/193) or (726/22,26)).CCL.S.	US-PGPUB; USPAT	OR	OFF	2009/05/14 17:39
S160	59	S159 and (request command) with (over near2 write overwrit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/14 17:40
S161	50	S159 and protected near3 memory near3 (address \$2 location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/14 17:44

5/ 14/ 2009 6:47:45 PM

C:\Documents and Settings\jkim\My Documents\EAST\Workspaces\10813003.wsp